

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

RT20 - 20mg



Tested for: ClariPeptide
Claripeptide.com

COA #: COA-2026-RI6NVH
Lot Number: CP01260707220L
Labeled Content: 20mg
Volume: 3mL

Analysis Date: 08/07/2026
Appearance: Good
Volume: 3mL
Date Received: 07/29/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: 3Z97NC4X

Method: Purity, Identity & Quantitation (HPLC)

Identity	Peptide Purity	Fentanyl Free
RT20	99.78%	


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.78%	%	PASS
Net Peptide Content	Report Only	20.46	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



RT20 20mg - CP01260707220L

HPLC Chromatogram



RT20 20mg - CP01260707220L: UV Chromatogram

Notes & Methodology

- Date Tested: 08/07/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be RT20 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



Handwritten signature

Dr. Greg Kalyuzhny
Lab Director
8/7/2026

COA #: COA-2026-RI6NVH
Access Code: 3Z97NC4X
Verify: portal.ils-lab.com
Issued: 8/7/2026